



IFW

TRANSMITTAL FORM (to be used for all correspondence after initial filing)		Application Number	10/601,193
		Filing Date	06-23-2003
		First Named Inventor	Jean-Guy COCAIGN
		Group Art Unit	3612
		Examiner Name	Jason S. Morrow
Total Number of Pages in This Submission	10	Attorney Docket Number	033171-50

ENCLOSURES (check all that apply)		
<input type="checkbox"/> Fee Transmittal Form <input type="checkbox"/> Fee Attached <input checked="" type="checkbox"/> Response After RCE Filing <input type="checkbox"/> After Final <input type="checkbox"/> Affidavits/declaration(s) <input type="checkbox"/> Extension of Time Request <input type="checkbox"/> Express Abandonment Request <input type="checkbox"/> Information Disclosure Statement <input type="checkbox"/> Certified Copy of Priority Document(s) <input type="checkbox"/> Response to Missing Parts/Incomplete Application <input type="checkbox"/> Response to Missing Parts under 37 CFR 1.52 or 1.53	<input type="checkbox"/> Assignment Papers (for an Application) <input type="checkbox"/> Drawing(s) <input type="checkbox"/> Declaration and Power of Attorney <input type="checkbox"/> Licensing-related Papers <input type="checkbox"/> Petition <input type="checkbox"/> Petition to Convert to a Provisional Application <input type="checkbox"/> Power of Attorney, Revocation Change of Correspondence Address <input type="checkbox"/> Terminal Disclaimer <input type="checkbox"/> Request for Refund <input type="checkbox"/> CD, Number of CD(s) _____	<input type="checkbox"/> After Allowance Communication to Group <input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences <input type="checkbox"/> Appeal Communication to Group (Appeal Notice, Brief, Reply Brief) <input type="checkbox"/> Proprietary Information <input type="checkbox"/> Status Letter <input type="checkbox"/> Application Data Sheet <input type="checkbox"/> Request for Corrected Filing Receipt with Enclosures <input type="checkbox"/> A self-addressed prepaid postcard for acknowledging receipt <input type="checkbox"/> Other Enclosure(s) (please identify below):
Remarks		<input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees required or credit any overpayments to Deposit Account No. 19-2380 for the above identified docket number.

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT	
Firm or Individual name	David S. Safran, Reg. No. 27,997 Nixon Peabody LLP 401 9 th Street, N.W. Suite 900 Washington, D.C. 20004-2128
Signature	
Date	July 21, 2005

CERTIFICATE OF MAILING OR TRANSMISSION [37 CFR 1.8(a)]	
I hereby certify that this correspondence is being:	
<input checked="" type="checkbox"/> deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to: Mail Stop <u>Amendment</u> , Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450	
<input type="checkbox"/> transmitted by facsimile on the date shown below to the United States Patent and Trademark Office at _____	
July 21, 2005 Date	 Signature Kathleen M. McManus Typed or printed name



Docket No. 033171-50

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT application of)
Jean-Guy COCAIGN) Group Art Unit: 3612
Application No. 10/601,193) Examiner: Jason S. Morrow
Filed: June 23, 2003) Confirmation No. 6423
For: ROOF MODULE FOR A MOTOR VEHICLE)

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on July 21, 2005.

K.M. McManus
K.M. McManus

RESPONSE AFTER RCE FILING

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The following is presented in response to the Communication mailed June 8, 2005, in connection with the above-captioned patent application, which granted applicant's request for a three month suspension of action.

Attached hereto are drawings prepared on 23 June 2000 (labeled Exhibits A-F) from which a prototype was built in accordance with the invention claimed in the above-captioned patent application. The prototype shown in these drawings was successfully tested on July 3, 2000, prior to November 21, 2001, date for which the Schlecht et al. patent is usable as a reference. Since the Schlecht et al. patent is not claiming the same invention as the present application, establishment of an earlier invention date for purposes of removing the Schlecht et al. patent as reference is permissible.

That these drawings demonstrate that the prototype contained all of the features of the present invention can be seen from the following copy of claim 1 of the above-captioned patent application into which the element number (or location description) and letter of the Exhibit in which the element appears has been inserted in parentheses:

1. Roof module (Exhibits A & C) for closing an opening in a roof of a motor vehicle that extends transversely between two lateral roof elements (shown in broken lines in Exhibit B) and in a lengthwise direction between a front roof element (shown in broken lines at left end of Section X2653.8 in Exhibit C) and a rear roof element (shown in broken lines at left end of Section X2573.9 in Exhibit C), and the lateral roof elements, the front roof element and the rear roof element each having a peripheral rabbet (Exhibits B & C) on edges thereof which border the opening, the roof module comprising:


- a glass pane (01 in Exhibits E & F) adapted for permanent connection directly to the peripheral rabbets which border the opening (an adhesive bead being shown attaching the glass pane to the rabbets, e.g., in Section YO Avant in Exhibit F),
- a darkening device (13 in Section YO in Exhibits E & F) which is deployable parallel to an inside surface of the glass pane,
- guide means (shown to the right of vertical line Y-400 in Exhibit B) for guiding the darkening device, the guide means being permanently mounted directly on the inside surface of the glass pane along each of opposite side edges of the glass pane, the guide means interacting with edges of the darkening device,
- a support brace (12 shown near the right end in Exhibit A, in Section Y-31.9 of Exhibit D and in section YO of Exhibit F) mounted on the inside surface along one of front and rear transverse edges of the glass pane, the support brace having a motor drive (90 in Section YO in Exhibits E & F) for driving the darkening device.

The undersigned and the assignee have been trying to locate the inventor, who is presently not available, for purposes of having him execute a declaration under 37 CFR 1.131 establishing the above facts, but have been unsuccessful to date. However, it is expected that the inventor will be located in the near future so that the Examiner is requested to continue to

defer action on this application for as long as possible in order to provide time to obtain and file the noted declaration under 37 CFR 1.131, which declaration will necessitate removal of all rejections based upon the Schlecht et al. patent.

Respectfully submitted,

By: _____



David S. Safran
Registration No. 27,997

NIXON PEABODY LLP
Suite 900
401 9th Street, N.W.
Washington D.C. 20004

Telephone: (703) 827-8094

DSS/kmm





EXHIBIT B



PLANS EN PARTIE MANUSCRITES EN NOIR
LES AUTRES EN BLEU
LES CHANGEMENTS EN ROUGE
LES CHANGEMENTS EN VERT
LES CHANGEMENTS EN JAUNE
LES CHANGEMENTS EN ORANGE
LES CHANGEMENTS EN ROSE
LES CHANGEMENTS EN VIOLET
LES CHANGEMENTS EN GRIS
LES CHANGEMENTS EN NOIR

PROJET	CHASSIS 1717	ET 1718
CLIENT	CHASSIS 1717	ET 1718
DATE	17/03/2017	17/03/2017
REVISION	1	1
CHASSIS 1717	CHASSIS 1717	CHASSIS 1717
CHASSIS 1718	CHASSIS 1718	CHASSIS 1718
CHASSIS 1719	CHASSIS 1719	CHASSIS 1719
CHASSIS 1720	CHASSIS 1720	CHASSIS 1720
CHASSIS 1721	CHASSIS 1721	CHASSIS 1721
CHASSIS 1722	CHASSIS 1722	CHASSIS 1722
CHASSIS 1723	CHASSIS 1723	CHASSIS 1723
CHASSIS 1724	CHASSIS 1724	CHASSIS 1724
CHASSIS 1725	CHASSIS 1725	CHASSIS 1725
CHASSIS 1726	CHASSIS 1726	CHASSIS 1726
CHASSIS 1727	CHASSIS 1727	CHASSIS 1727
CHASSIS 1728	CHASSIS 1728	CHASSIS 1728
CHASSIS 1729	CHASSIS 1729	CHASSIS 1729
CHASSIS 1730	CHASSIS 1730	CHASSIS 1730
CHASSIS 1731	CHASSIS 1731	CHASSIS 1731
CHASSIS 1732	CHASSIS 1732	CHASSIS 1732
CHASSIS 1733	CHASSIS 1733	CHASSIS 1733
CHASSIS 1734	CHASSIS 1734	CHASSIS 1734
CHASSIS 1735	CHASSIS 1735	CHASSIS 1735
CHASSIS 1736	CHASSIS 1736	CHASSIS 1736
CHASSIS 1737	CHASSIS 1737	CHASSIS 1737
CHASSIS 1738	CHASSIS 1738	CHASSIS 1738
CHASSIS 1739	CHASSIS 1739	CHASSIS 1739
CHASSIS 1740	CHASSIS 1740	CHASSIS 1740
CHASSIS 1741	CHASSIS 1741	CHASSIS 1741
CHASSIS 1742	CHASSIS 1742	CHASSIS 1742
CHASSIS 1743	CHASSIS 1743	CHASSIS 1743
CHASSIS 1744	CHASSIS 1744	CHASSIS 1744
CHASSIS 1745	CHASSIS 1745	CHASSIS 1745
CHASSIS 1746	CHASSIS 1746	CHASSIS 1746
CHASSIS 1747	CHASSIS 1747	CHASSIS 1747
CHASSIS 1748	CHASSIS 1748	CHASSIS 1748
CHASSIS 1749	CHASSIS 1749	CHASSIS 1749
CHASSIS 1750	CHASSIS 1750	CHASSIS 1750
CHASSIS 1751	CHASSIS 1751	CHASSIS 1751
CHASSIS 1752	CHASSIS 1752	CHASSIS 1752
CHASSIS 1753	CHASSIS 1753	CHASSIS 1753
CHASSIS 1754	CHASSIS 1754	CHASSIS 1754
CHASSIS 1755	CHASSIS 1755	CHASSIS 1755
CHASSIS 1756	CHASSIS 1756	CHASSIS 1756
CHASSIS 1757	CHASSIS 1757	CHASSIS 1757
CHASSIS 1758	CHASSIS 1758	CHASSIS 1758
CHASSIS 1759	CHASSIS 1759	CHASSIS 1759
CHASSIS 1760	CHASSIS 1760	CHASSIS 1760
CHASSIS 1761	CHASSIS 1761	CHASSIS 1761
CHASSIS 1762	CHASSIS 1762	CHASSIS 1762
CHASSIS 1763	CHASSIS 1763	CHASSIS 1763
CHASSIS 1764	CHASSIS 1764	CHASSIS 1764
CHASSIS 1765	CHASSIS 1765	CHASSIS 1765
CHASSIS 1766	CHASSIS 1766	CHASSIS 1766
CHASSIS 1767	CHASSIS 1767	CHASSIS 1767
CHASSIS 1768	CHASSIS 1768	CHASSIS 1768
CHASSIS 1769	CHASSIS 1769	CHASSIS 1769
CHASSIS 1770	CHASSIS 1770	CHASSIS 1770
CHASSIS 1771	CHASSIS 1771	CHASSIS

[illegible]

SECTION Y-285.3

SECTION Y-130

SECTION Y-98.7

SECTION Y-189

SECTION Y-291.4

SECTION Y-361.5

SECTION Y-390.5

SECTION Y-344.5

SECTION Y-200

SECTION Y-31.9

SECTION Y-355

SECTION Y-705

SECTION Y-938

WHEEL ASSEMBLY

1. 1/2" = 1' SCALE

2. 1/4" = 1' SCALE

3. 1/8" = 1' SCALE

4. 1/16" = 1' SCALE

5. 1/32" = 1' SCALE

6. 1/64" = 1' SCALE

7. 1/128" = 1' SCALE

8. 1/256" = 1' SCALE

9. 1/512" = 1' SCALE

10. 1/1024" = 1' SCALE

11. 1/2048" = 1' SCALE

12. 1/4096" = 1' SCALE

13. 1/8192" = 1' SCALE

14. 1/16384" = 1' SCALE

15. 1/32768" = 1' SCALE

16. 1/65536" = 1' SCALE

17. 1/131072" = 1' SCALE

18. 1/262144" = 1' SCALE

19. 1/524288" = 1' SCALE

20. 1/1048576" = 1' SCALE

21. 1/2097152" = 1' SCALE

22. 1/4194304" = 1' SCALE

23. 1/8388608" = 1' SCALE

24. 1/16777216" = 1' SCALE

25. 1/33554432" = 1' SCALE

26. 1/67108864" = 1' SCALE

27. 1/134217728" = 1' SCALE

28. 1/268435456" = 1' SCALE

29. 1/536870912" = 1' SCALE

30. 1/1073741824" = 1' SCALE

31. 1/2147483648" = 1' SCALE

32. 1/4294967296" = 1' SCALE

33. 1/8589934592" = 1' SCALE

34. 1/17179869184" = 1' SCALE

35. 1/34359738368" = 1' SCALE

36. 1/68719476736" = 1' SCALE

37. 1/137438953472" = 1' SCALE

38. 1/274877906944" = 1' SCALE

39. 1/549755813888" = 1' SCALE

40. 1/1099511627776" = 1' SCALE

41. 1/2199023255552" = 1' SCALE

42. 1/4398046511104" = 1' SCALE

43. 1/8796093022208" = 1' SCALE

44. 1/17592186044416" = 1' SCALE

45. 1/35184372088832" = 1' SCALE

46. 1/70368744177664" = 1' SCALE

47. 1/140737488355328" = 1' SCALE

48. 1/281474976710656" = 1' SCALE

49. 1/562949953421312" = 1' SCALE

50. 1/1125899906842624" = 1' SCALE

51. 1/2251799813685248" = 1' SCALE

52. 1/4503599627370496" = 1' SCALE

53. 1/9007199254740992" = 1' SCALE

54. 1/18014398509481984" = 1' SCALE

55. 1/36028797018963968" = 1' SCALE

56. 1/72057594037927936" = 1' SCALE

57. 1/144115188075855872" = 1' SCALE

58. 1/288230376151711744" = 1' SCALE

59. 1/576460752303423488" = 1' SCALE

60. 1/1152921504606846976" = 1' SCALE

61. 1/2305843009213693952" = 1' SCALE

62. 1/4611686018427387904" = 1' SCALE

63. 1/9223372036854775808" = 1' SCALE

64. 1/18446744073709551616" = 1' SCALE

65. 1/36893488147419103232" = 1' SCALE

66. 1/73786976294838206464" = 1' SCALE

67. 1/147573952589676412928" = 1' SCALE

68. 1/295147905179352825856" = 1' SCALE

69. 1/590295810358705651712" = 1' SCALE

70. 1/1180591620717411303424" = 1' SCALE

71. 1/2361183241434822606848" = 1' SCALE

72. 1/4722366482869645213696" = 1' SCALE

73. 1/9444732965739290427392" = 1' SCALE

74. 1/18889465931478580854784" = 1' SCALE

75. 1/37778931862957161709568" = 1' SCALE

76. 1/75557863725914323419136" = 1' SCALE

77. 1/151115727451828646838272" = 1' SCALE

78. 1/302231454903657293676544" = 1' SCALE

79. 1/604462909807314587353088" = 1' SCALE

80. 1/1208925819614629174706176" = 1' SCALE

81. 1/2417851639229258349412352" = 1' SCALE

82. 1/4835703278458516698824704" = 1' SCALE

83. 1/9671406556917033397649408" = 1' SCALE

84. 1/19342813113834066795298816" = 1' SCALE

85. 1/38685626227668133590597632" = 1' SCALE

86. 1/77371252455336267181195264" = 1' SCALE

87. 1/154742504910672534362390528" = 1' SCALE

88. 1/309485009821345068724781056" = 1' SCALE

89. 1/618970019642690137449562112" = 1' SCALE

90. 1/1237940039285380274899124224" = 1' SCALE

91. 1/2475880078570760549798248448" = 1' SCALE

92. 1/4951760157141521099596496896" = 1' SCALE

93. 1/9903520314283042199192993792" = 1' SCALE

94. 1/19807040628566084398385987584" = 1' SCALE

95. 1/39614081257132168796771975168" = 1' SCALE

96. 1/79228162514264337593543950336" = 1' SCALE

97. 1/158456325028528675187087900672" = 1' SCALE

98. 1/316912650057057350374175801344" = 1' SCALE

99. 1/633825300114114700748351602688" = 1' SCALE

100. 1/1267650600228229401496703205376" = 1' SCALE

101. 1/2535301200456458802993406410752" = 1' SCALE

102. 1/5070602400912917605986812821504" = 1' SCALE

103. 1/10141204801825835211973625643008" = 1' SCALE

104. 1/20282409603651670423947251286016" = 1' SCALE

105. 1/40564819207303340847894502572032" = 1' SCALE

106. 1/81129638414606681695789005144064" = 1' SCALE

107. 1/162259276829213363391578010288128" = 1' SCALE

108. 1/32451855365842672678315602057625

[illegible]

[illegible]

PIECE EN PARTIE NUMERISEE: OFN INDOCE
 Les codes de la partie numérisée indiquent les dates
 de mise en circulation et les lots des pièces en OFN.
 PARTIALLY DEFINED IN CAD FOLLOWING INDEX
 Quatre ans et six semaines sont indiqués sur les données
 des codes de la partie numérisée.

PLAN 1887 d'une diffusion CAD, mentionné sur CATIA
 DÉSIGNÉ assigné en CAD, mentionné sur CATIA

[illegible]

